

TECHNICAL DATA SHEET

CN301

Aromatic Acid Acrylate Half Ester In 2-PEA (SR339)

CN301, polybutadiene dimethacrylate, is a flexible, hydrophobic oligomer with excellent electrical properties. It offers excellent pigment wetting, and allows high filler loadings. Additionally, cured films of CN301 resist acid, alkali, and high humidity.



SHELF LIFE

Store in the original, closed container in a dry, cool (<45°C) and well-ventilated place. Keep away from frost and heat (open flames, hot surfaces and sources of ignition) sources. Typical shelf-life is 3 months from delivery date for unopened containers. In cases where product sampling is required to carry out incoming quality tests, shelf-life should be maintained beyond opening, provided that it is tightly closed immediately after and that contamination with foreign bodies is avoided. Inhibitors have been added to enhance storage stability. They require the presence of air in the container in order to improve their efficiency. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers

STORAGE

See SDS for Storage Considerations

HEALTH AND SAFETY

See SDS for Health & Safety Considerations

LIQUID PROPERTIES

Appearance Clear liquid Functionality Color (Gd) <12 Density at 25°C (g/mL) 0.9638 Refractive Index at 25°C 1.507

CURED PROPERTIES

Tg (°C), by DSC -44 Young Modulus (MPa) 48 Elongation at break (%) 15 Tensile Strength (MPa)

PRODUCT PERFORMANCE

Wood Adhesion Chemical Resistance Moisture Resistance Flexibility ABS/PC Adhesion PVC/PS Adhesion Corrosion Resistance

SPECIAL FEATURE

Hydrophobic

SUGGESTED APPLICATIONS

Adhesives & sealants **Flectronics**

Arkema Inc 502 Thomas Jones Way Exton, PA 19341 – AMERICA www.Sartomer.arkema.com

Arkema France 420, rue d'Estienne d'Orves 92705 Colombes Cedex France www.Sartomer.arkema.com

