


TECHNICAL DATA SHEET

SR262

1,12-Dodecanediol Dimethacrylate

DESCRIPTION

SR262 is a low viscosity, fast curing monomer with low volatility, a hydrophobic backbone, and good flexibility when used in free radical polymerization.



SHELF LIFE

Store in the original, closed container in a dry, cool (<45°C) and well-ventilated place. Keep away from frost and heat (open flames, hot surfaces and sources of ignition) sources. Typical shelf-life is 6 months from delivery date for unopened containers. In cases where product sampling is required to carry out incoming quality tests, shelf-life should be maintained beyond opening, provided that it is tightly closed immediately after and that contamination with foreign bodies is avoided. Inhibitors have been added to enhance storage stability. They require the presence of air in the container in order to improve their efficiency. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers

STORAGE

See SDS for Storage Considerations

HEALTH AND SAFETY

See SDS for Health & Safety Considerations

LIQUID PROPERTIES

Functionality	2
Appearance	Clear liquid
Viscosity at 25°C (mPa.s or cPs)	12
Density at 25°C (g/mL)	0.9528
Refractive Index at 25°C	1.459
Surface Tension at 20°C (mN/m)	33
Molecular Weight (g/mol)	338
Color (Pt/Co or APHA)	<200

CURED PROPERTIES

Tg (°C), by DSC	-37
-----------------	-----

PRODUCT PERFORMANCE

Flexibility
Moisture Resistance
Corrosion Resistance
Shrinkage
Weatherability

SPECIAL FEATURE

Hydrophobic

SUGGESTED APPLICATIONS

Adhesives & sealants
Artificial marble
Composites
Conformal Coatings
Electrical potting & encapsulation
Electronics
Industrial flooring & waterproofing
Metal coatings
Polymer synthesis
Rubber manufacturing

Arkema Inc
502 Thomas Jones Way
Exton, PA 19341 – AMERICA
www.Sartomer.arkema.com

Arkema France
420, rue d'Estienne d'Orves
92705 Colombes Cedex
France
www.Sartomer.arkema.com