

TECHNICAL DATA SHEET

CN3715

Acrylated Amine Synergist

DESCRIPTION

CN3715 is an acrylated amine synergist with good reactivity, high flexibility and low pigment bleeding that improves surface cure when used with a suitable photoinitiator system.



SHELF LIFE

Store in the original, closed container in a dry, cool (<45°C) and well-ventilated place. Keep away from frost and heat (open flames, hot surfaces and sources of ignition) sources. Typical shelf-life is 6 months from delivery date for unopened containers. In cases where product sampling is required to carry out incoming quality tests, shelf-life should be maintained beyond opening, provided that it is tightly closed immediately after and that contamination with foreign bodies is avoided. Inhibitors have been added to enhance storage stability. They require the presence of air in the container in order to improve their efficiency. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers

STORAGE

See SDS for Storage Considerations

HEALTH AND SAFETY

See SDS for Health & Safety Considerations

LIQUID PROPERTIES

Appearance Clear liquid Functionality Color (Gd) <4 Viscosity at 25°C (mPa.s or cPs) 75 Amine Value (mgKOH/g) 195

PRODUCT PERFORMANCE

Flexibility Wood Adhesion ABS/PC Adhesion Metal Adhesion PVC/PS Adhesion PE/PET/PP/PMMA Adhesion

SUGGESTED APPLICATIONS

Flexographic inks Inkjet inks Overprint varnishes Screen inks Wood coatings

Arkema Inc

Headquarter: Arkema France 51, Esplanade du Général de Gaulle 92800 Puteaux – France T +33 (0)1 49 00 80 80 www.Sartomer.arkema.com

