# SARTOMER®

# TECHNICAL DATA SHEET

# CN961H81

## Aliphatic Urethane Acrylate blended with EOEOEA (SR256)

#### DESCRIPTION

CN961H81 is an aliphatic polyester based urethane diacrylate oligomer blended with 19% SR256, 2(2-ethoxyethoxy) ethyl acrylate. It is a resilient oligomer offering good weatherability.



#### SHELF LIFE

Store in the original, closed container in a dry, cool (<45°C) and well-ventilated place. Keep away from frost and heat (open fla-mes, hot surfaces and sources of ignition) sources. Typical she-If-life is 6 months from delivery date for unopened containers. In cases where product sampling is required to carry out in-coming quality tests, shelf-life should be maintained beyond opening, provided that it is tightly closed immediately after and that contamination with foreign bodies is avoided. Inhibitors have been added to enhance storage stability. They require the presence of air in the container in order to improve their efficiency. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers

#### STORAGE

See SDS for Storage Considerations

#### **HEALTH AND SAFETY**

See SDS for Health & Safety Considerations

#### LIQUID PROPERTIES

Appearance Functionality Color (Pt/Co or APHA) Density at 25°C (g/mL) Refractive Index at 25°C Clear liquid 2 40 1.0842 1.478

### **CURED PROPERTIES**

Tg (°C), by DSC	-14
Young Modulus (MPa)	41
Elongation at break (%)	53
Tensile Strength (MPa)	2

#### **PRODUCT PERFORMANCE**

Flexibility Shrinkage Weatherability Wood Adhesion ABS/PC Adhesion Metal Adhesion PVC/PS Adhesion Moisture Resistance Corrosion Resistance PE/PET/PP/PMMA Adhesion

#### SUGGESTED APPLICATIONS

Metal coatings Plastic coatings

COPYRIGHT Olivia Brabbs

Arkema Inc 502 Thomas Jones Way Exton, PA 19341 – AMERICA www.Sartomer.arkema.com

Arkema France, a French société anonyme registered at the Trade and Companies www.arkema.com

Disclaimer - Please consult Arkema's disclaimer regarding the use of Arkema's products on https://www.arkema.com/global/en/products/product-safety/disclaimer/

Headquarter: Arkema France 51, Esplanade du Général de Gaulle 92800 Puteaux – France T +33 (0)1 49 00 80 80 www.Sartomer.arkema.com

